



Importance of lethal control of invasive predators for island conservation

James C. Russell,*† Holly P. Jones,‡ Doug P. Armstrong,§ Franck Courchamp,** Peter J. Kappes,†† Philip J. Seddon,‡‡ Steffen Oppel,§§ Mark J. Rauzon,*** Phil E. Cowan,††† Gérard Rocamora,† Piero Genovesi,‡‡‡ Elsa Bonnaud,** Bradford S. Keitt,§§§ Nick D. Holmes,§§§ and Bernie R. Tershy****

*School of Biological Sciences, University of Auckland, Private Bag 92019, Auckland, 1142, New Zealand, email j.russell@auckland.ac.nz

†Island Biodiversity & Conservation Center, University of Seychelles, P.O. Box 1348, Anse Royale, Republic of Seychelles

‡Department of Biological Sciences and Institute for the Study of the Environment, Northern Illinois University, DeKalb, IL 60115, U.S.A.

§Wildlife Ecology Group, Institute of Natural Resources, Massey University, Private Bag 11 222, Palmerston North 4442, New Zealand

**Ecologie Systématique Evolution, Université Paris-Sud, CNRS, AgroParisTech, Université Paris-Saclay, 91400 Orsay, France

††Oregon Cooperative Fish and Wildlife Research Unit, Department of Fisheries and Wildlife, Oregon State University, Corvallis, OR 97331, U.S.A.

‡‡Department of Zoology, University of Otago, P.O. Box 56, Dunedin 9054, New Zealand

§§RSPB Centre for Conservation Science, Royal Society for the Protection of Birds, The Lodge, Sandy, Bedfordshire SG19 2DL, United Kingdom

***Geography Department, Laney College, Oakland, CA 94607, U.S.A.

†††Landcare Research, P.O. Box 69040, Lincoln 7640, New Zealand

‡‡‡Institute for Environmental Protection and Research, Via V. Brancati 48, Rome I-00144, Italy

§§§Island Conservation, 2161 Delaware Avenue Suite A, Santa Cruz, CA 95060, U.S.A.

****University of California Santa Cruz, 100 Shaffer Road, Santa Cruz, CA 95060, U.S.A.

We support the call of Wallach et al. (2015a) for a compassionate approach to conservation and agree that any lethal control must be justified by a high probability of conservation gains and supported by relevant stakeholders. We believe lethal control of invasive predators is justified when it will reverse the negative impacts of predators introduced by humans on native species and ecosystems and when the extent of that predation endangers the survival of entire populations or species. Globally, a few key introduced predator species are having disproportionately large effects on island ecosystems and their constituent species (e.g., Medina et al. 2011; Towns et al. 2006). Where invasive predators are killed to achieve conservation goals, we believe this action can stem from compassion for all of the ecosystem, its species, the individuals being protected, and the invasive animals themselves. Our belief is well supported by literature and policies on the role of animal welfare, animal rights, and environmental ethics in pest control (e.g., Gunn 2007; Dunlevy et al. 2011).

When effective biodiversity conservation tools are available, we believe the morally appropriate and compassionate choice is to take action, rather than taking no action, despite those actions sometimes being perceived as unpalatable (e.g., Seddon et al. 2014). Such interventions are often critical to prevent endangered species from going extinct, which is the foundation of conservation biology (Soulé 1991). In some cases, lethal control is the most ethical and compassionate course of action. For example, on the islands of Uist, introduced hedgehogs (*Erinaceus europaeus*) were killing native bird species and were the primary agent of bird declines (Jackson et al. 2004). An analysis of potential nonlethal and lethal control alternatives showed lethal control to be the most humane option for the hedgehogs (Uist Wader Project 2002). Ultimately, however, preventing the arrival and spread of invasive species on islands through appropriate biosecurity measures precludes the need to manage or remove those species and therefore represents the most compassionate approach, as Wallach et al. (2015a)

demonstrate on Middle Island (Victoria, Australia). This prevention approach is advocated strongly by groups such as the International Union for Conservation of Nature Invasive Species Specialist Group.

The principle of do no harm should always underpin any comparison of possible conservation interventions. However, deciding to do nothing is in itself an action, and like the decision to implement lethal control, it determines which animals will die, how many will die, and how they will die. As a society, and as conservation practitioners, we can have a say in how humane any deaths may be. Although action and inaction may not be ethically equivalent, the consequences of inaction can be disastrous (Maguire 1991), and taking no action today is a tacit acceptance of historical human actions, including introduction of species that later became invasive (Russell 2012). Recognizing this context for decisions influences what sort of ecosystems is conserved in the long term and the manner of the lives and deaths of the species, populations, and ecosystems under our stewardship. Being compassionate might mean not killing, but it can also mean preventing invasive species from killing. If native species conservation cannot be achieved by nonlethal control of invasive predators, then taking no action against invasive predators is unethical.

In their essay and elsewhere, Wallach and colleagues (2015*b*) focus largely on the continental context of predators and their control, where top-down regulation, typically by native predators, is common (Estes et al. 2011). This is in stark contrast to many island ecosystems, where mammalian predators are generally absent (Blumstein 2002) and ecosystem regulation is naturally bottom-up (Polis & Strong 1996). Introduction of mammalian predators to such islands has resulted in most vertebrate extinctions over the past 500 years (Tershy et al. 2015). On islands, lethal control does not indicate a desire to disregard the ecological role of predators or to revert the ecosystem to a prehuman state; rather, the goal is to reestablish natural ecological processes and rates of processes to the extent possible (e.g., native species colonization, extinction, turnover, and interactions). Restoration of such natural processes is at the core of the duty conservation biologists assume (Soulé 1985).

In response to the overwhelming impact of invasive mammalian predators on island ecosystems (Blackburn et al. 2004), conservation practitioners have implemented eradication programs to conserve threatened species and populations and to restore island ecosystem functioning. Decades of evidence from island eradication and restoration programs consistently demonstrate that well-implemented lethal control achieves biodiversity benefits (Lavers et al. 2010; Veitch et al. 2011; Rocamora & Henriette 2015; Towns et al. 2016). Had practitioners and society decided not to eradicate invasive mammals from islands, many more endemic species would have become extinct (Butchart et al. 2006). Deciding not to

remove or control invasive species on islands where they negatively affect native species would, in effect, be in conflict with the founding principle of compassionate conservation to do no harm. Furthermore, all costs, inclusive of financial, social, and ethical, can be minimized by a single eradication program, rather than ongoing control (Pascal et al. 2008). Conservation scientists and managers are continually developing new effective and humane tools that improve island restoration (Cowan & Warburton 2011; Campbell et al. 2015).

Balancing individual welfare considerations and conservation goals is, in part, a classic multicriterion decision problem. In such situations, the final decision often strongly depends on the values placed on different objectives. Differences in people's values can create strong differences of opinion and associated predictions about the consequences of management actions. For example, people who strongly value the welfare of invasive predators may place less weight on evidence of biodiversity benefits gained by controlling those predators (Howald et al. 2010). Conversely, people who strongly value native biodiversity might underestimate the suffering experienced by individual invasive predators. Unbiased evidence is critical to decision making; however, it is not the role of scientists to tell people what their values should be. Formal decision analysis is useful because it helps distinguish the roles of values and science and allows both to be incorporated in the process (Gregory et al. 2012). In a predator control decision, the optimal management option depends on the predicted benefits, including for biodiversity and animal welfare, but it also depends on the relative value people put on those and other benefits and impacts. Carefully considering the values of stakeholders is, therefore, as important as evaluating the scientific evidence (Moon et al. 2015).

Compassion is important in all aspects of conservation, but a robust environmental ethic recognizes and incorporates all levels of ecological organization (Norton 1982). We agree with Wallach et al.'s (2015*a*) call for compassion as a consideration in conservation decision making and believe it can be readily incorporated into decision-making frameworks for predator control. Such frameworks must necessarily balance multiple values such as ecosystem health, animal welfare, and social justice (Redpath et al. 2013; Shoreman-Ouimet & Kopnina 2015). We must accept the ethical duty and responsibility humans have toward other species, whether invasive or native, and acknowledge that any conservation action, including doing nothing, represents a decision that affects species and ecosystems and reflects multiple value judgments.

Acknowledgments

We thank V. Devictor, A. Wallach, and an anonymous reviewer for constructive feedback.

Literature Cited

- Blackburn TM, Cassey P, Duncan RP, Evans KL, Gaston KJ. 2004. Avian extinction and mammalian introductions on oceanic islands. *Science* **305**:1955–1958.
- Blumstein DT. 2002. Moving to suburbia: ontogenetic and evolutionary consequences of life on predator-free islands. *Journal of Biogeography* **29**:685–692.
- Butchart SH, Stattersfield AJ, Collar NJ. 2006. How many bird extinctions have we prevented? *Oryx* **40**:266–278.
- Campbell KJ, et al. 2015. The next generation of rodent eradications: innovative technologies and tools to improve species specificity and increase their feasibility on islands. *Biological Conservation* **185**:47–58.
- Cowan P, Warburton B. 2011. Animal welfare and ethical issues in island pest eradication. Pages 418–421 in Veitch CR, Clout MN, Towns DR, editors. *Island invasives: eradication and management*. IUCN, Gland, Switzerland.
- Dunlevy PA, Ebbert SM, Russell JC, Towns DR. 2011. Eradication of invasive predators on seabird islands. Pages 283–316 in Mulder CPH, Anderson WB, Towns DR, Bellingham PJ, editors. *Seabird Islands: ecology, invasion, and restoration*. Oxford University Press, New York.
- Estes JA, et al. 2011. Trophic downgrading of planet Earth. *Science* **333**:301–306.
- Gregory R, Failing L, Harstone M, Long G, McDaniels T, Ohlson D. 2012. *Structured decision making: a practical guide to environmental management choices*. Wiley-Blackwell, Chichester, United Kingdom.
- Gunn AS. 2007. Environmental ethics in a New Zealand context. *New Zealand Journal of Forestry* **51**:7–12.
- Howald G, Donlan CJ, Faulkner KR, Ortega S, Gellerman H, Croll DA, Tershy BR. 2010. Eradication of black rats *Rattus rattus* from Anacapa Island. *Oryx* **44**:30–40.
- Jackson DB, Fuller RJ, Campbell ST. 2004. Long-term population changes among breeding shorebirds in the Outer Hebrides, Scotland, in relation to introduced hedgehogs (*Erinaceus europaeus*). *Biological Conservation* **117**:151–166.
- Lavers JL, Wilcox C, Donlan CJ. 2010. Bird demographic responses to predator removal programs. *Biological Invasions* **12**:3839–3859.
- Maguire LA. 1991. Risk analysis for conservation biologists. *Conservation Biology* **5**:123–125.
- Medina FM, Bonnaud E, Vidal E, Tershy BR, Zavaleta ES, Donlan CJ, Keitt BS, Le Corre M, Horwath SV, Nogales M. 2011. A global review of the impacts of invasive cats on island endangered vertebrates. *Global Change Biology* **17**:3503–3510.
- Moon K, Blackman D, Brewer T. 2015. Understanding and integrating knowledge to improve invasive species management. *Biological Invasions* **17**:2675–2689.
- Norton BG. 1982. Environmental ethics and nonhuman rights. *Environmental Ethics* **4**:17–36.
- Pascal M, Lorvelec O, Bretagnolle V, Culioli JM. 2008. Improving the breeding success of a colonial seabird: a cost-benefit comparison of the eradication and control of its rat predator. *Endangered Species Research* **4**:267–276.
- Polis GA, Strong DR. 1996. Food web complexity and community dynamics. *The American Naturalist* **147**:813–846.
- Redpath SM, et al. 2013. Understanding and managing conservation conflicts. *Trends in Ecology & Evolution* **28**:100–109.
- Rocamora G, Henriette E. 2015. *Invasive alien species in Seychelles: why and how to eliminate them, identification and management of priority species*. Island Biodiversity & Conservation Center, University of Seychelles. Biotope Editions, Méze; Muséum National d'Histoire Naturelle (Inventaires & Biodiversité series), Paris.
- Russell JC. 2012. Do invasive species cause damage? Yes. *BioScience* **62**:217.
- Seddon PJ, Griffiths CJ, Soorae PS, Armstrong DP. 2014. Reversing defaunation: restoring species in a changing world. *Science* **345**:406–412.
- Shoreman-Ouimet E, Kopnina H. 2015. Reconciling ecological and social justice to promote biodiversity conservation. *Biological Conservation* **184**:320–326.
- Soulé ME. 1985. What is conservation biology? A new synthetic discipline addresses the dynamics and problems of perturbed species, communities, and ecosystems. *BioScience* **35**:727–734.
- Soulé ME. 1991. Conservation: tactics for a constant crisis. *Science* **253**:744–750.
- Tershy BR, Shen K, Newton KM, Holmes ND, Croll DA. 2015. The importance of islands for the protection of biological and linguistic diversity. *BioScience* **65**:592–597.
- Towns DR, Atkinson IAE, Daugherty CH. 2006. Have the harmful effects of introduced rats on islands been exaggerated? *Biological Invasions* **8**:863–891.
- Towns DR, Borrelle SB, Thoresen J, Buxton RT, Evans A. 2016. Mercury Islands and their role in understanding seabird island restoration. *New Zealand Journal of Ecology* **40**:235–249.
- Uist Wader Project. 2002. *Three potential methods of reducing the non-native Uist hedgehog population to conserve breeding waders: animal welfare and conservation considerations*. Uist Wader Project report. Uist Wader Project, Inverness, Scotland.
- Veitch CR, Clout MN, Towns DR. 2011. *Island invasives: eradication and management*. IUCN, Gland, Switzerland.
- Wallach AD, Bekoff M, Nelson MP, Ramp D. 2015a. Promoting predators and compassionate conservation. *Conservation Biology* **29**:1481–1484.
- Wallach AD, Ripple WJ, Carroll SP. 2015b. Novel trophic cascades: apex predators enable coexistence. *Trends in Ecology & Evolution* **30**:146–153.